
Professionalism
is also an art.
ZHISHAN XING
ENTERPRISE CO., LTD.

With over 20 years manufacturing and exporting experience in fastener industry, Zhishan Xing specialize in self drilling screws, self tapping screws, stainless steel screws, machine screws and bolts etc.. Supported by satellite factories and equipped with quality control laboratory and our own packaging facilities, we ensure our customers with excellent and consistent quality along with competitive price to stable their market.



As we have strong knowledge and experience of research and development, we can help our customers to develop their own functional products. Our packaging facilities offer different packaging demand from bulk pack to small and DIY pack.

Our goal is to have long term “Win-Win” relationship with our customer under honesty and trust. Zhishan Xing will be your best partner for professional manufacture, competitive price, punctual delivery and efficient service.





Quality Construction Fasteners

Made in Zhishan Xing



Self Drilling Screw

Hex Washer Head

Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/8"~ 6" or 9.5mm-150mm
Point: #1, #2, #3, #4, #5



Pan Head

Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/8"~ 6" or 9.5mm-150mm
Point: #1, #2, #3,



Flat Countersunk Head

Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 1/2"~ 6" or 13mm-150mm
Point: #1, #2, #3, #4, #5



Flat Countersunk Head Wing

Diameter: #6 ~ 1/4 or M3.5 ~ M6.3
Length: 3/4"~ 6" or 19mm-150mm
Point: #2, #3, #4, #5



Phillips Pan Framing Head

Diameter: #6 ~ #7 or M3.5 ~ M3.9
Length: 3/8"~ 1" or 9.5mm-25mm
Point: #2, #3,



Phillips Bugle Head

Diameter: #6 ~ #10 or M3.5 ~ M4.8
Length: 3/4"~ 4" or 19mm-100mm
Point: #2, #3,



Self Drilling Screw


Hex Washer Head With Bonded Washer
Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/4"~ 6" or 19mm-150mm
Point: #1, #2, #3, #4, #5



Hex Washer Head With Pamted Colors
Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/4"~ 6" or 19mm-150mm
Point: #1, #2, #3, #4, #5



Phillips Wafer Head
Diameter: #8 or M4.2
Length: 1/2"~ 3" or 12mm-75mm
Point: #2, #3,



HWH With A2 Steel Cap on head
Diameter: #12 ~ 1/4 or M5.5 ~ M6.3
Length: 3/4"~ 6" or 19mm-150mm
Point: #2, #3, #4, #5



Phillips Extra Flat Countersunk Head
Diameter: #8 ~ #10 or M4.2 ~ M4.8
Length: 3/4"~ 1-1/4" or 19mm-32mm
Point: #2, #3,




Phillips Earge Flat Head w/8 Nibs
Diameter: #8
Length: 1-1/4"~ 2-1/4"
Point: Spoon Point



Lag Screw

For Steel
Diameter: 1/4
Length: 3/4"~ 3"
Point: #2, #3



For Steel
Diameter: 1/4
Length: 1-1/2"~ 3"
Point: Pinch Point



For Wood
Diameter: 1/4
Length: 3/4"~ 6"



For Wood
Diameter: 1/4
Length: 1-1/2"~ 3"



For Steel
Diameter: 1/4
Length: 3/4"~ 3"
Point: #3



For cernent
Diameter: 1/4
Length: 1-1/4"~ 4"



Self Tapping Screw

Slot Hex Washer Head
Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/8"~ 6" or 9.5mm-150mm



Phillips Pan Head
Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/8"~ 4"or 9.5mm-100mm



Phillips Flat Countersunk Head
Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/8"~ 4" or 9.5mm-100mm



Phillips Truss Head
Diameter: #6 ~ 1/4 or M3.5 ~ M6.3
Length: 3/8"~ 4" or 9.5mm-100mm



Phillips Pan Framing Head
Diameter: #6 ~ #7 or M3.5 ~ M3.9
Length: 3/8"~ 1/2" or 9.5mm-13mm



Trox Flat Countersunk Head
Diameter: 1/4 ~ 5/16 or M6.3 ~ M8
Length: 1-1/4"~ 4" or 32mm-100mm
Point: Type F



Self Tapping Screw

Phillips Wafer Head
Diameter: #8 or M4.2
Length:1/2"~ 3" or 13mm-75mm
Point: Twinfast Point



Hex Washer Head With EPDM Washer
Diameter: #7 ~ 10 or M3.9 ~ M10
Length: 1/2"~ 3" or 13mm-75mm
Point: Twinfast Point



HWH With A2 Steel Cap on head
Diameter: #9 ~ 1/4 or M4.5 ~ M6.3
Length: 1"~ 4" or 25mm-100mm
Point: Gimlet Point Type 17



Trox Trim Head
Diameter: #8 ~ 10 or M4.2 ~ M4.8
Length: 1-1/2"~ 4" or 38mm-100mm
Point: Type 17



Hex Washer Head With EPDM Washer
Diameter: #8 ~ 1/4 or M4.2 ~ M6.3
Length: 3/4"~ 6" or 19mm-150mm
Point: Type 17



Hex Washer Head With Bonded Washer
Diameter:#9 ~ #10 or M4.5 ~ M4.8
Length: 1"~ 4" or 25mm-100mm
Point: Gimlet Point Type 17



Machine Screw

Phillips Pan Head
Diameter: #6 ~ 5/16 or M4 ~ M8
Length: 3/8"~ 4" or 10mm-100mm



Phillips Hex Head
Diameter: #6 ~ 5/16 or M4 ~ M8
Length: 3/8"~ 4" or 10mm-100mm



Phillips Truss Head
Diameter: #6 ~ 5/16 or M4 ~ M8
Length: 3/8"~ 4" or 10mm-100mm



Hex Washer Head
Diameter: #6 ~ 5/16 or M4 ~ M8
Length: 3/8"~ 4" or 10mm-100mm



Phillips Pancake Head
Diameter: #6 ~ 5/16 or M4 ~ M8
Length: 3/8"~ 4" or 10mm-100mm



Phillips Flat Countersunk Head
Diameter: #6 ~ 5/16 or M4 ~ M8
Length: 3/8"~ 4" or 10mm-100mm



Others Screw

Masonry Screw
Diameter: #10 ~ 1/4
Length: 1"~ 4"




Deck Screw
Diameter: #6 ~10 or M3.5 ~ M5
Length: 1"~ 4" or 25mm-100mm
Point: Type 17



Stainless Screw
Diameter: #6 ~ 5/16 or M3.5 ~ M8
Length: 3/8"~ 4" or 10mm-100mm



Hanger Bolt
Diameter: 5/16 ~ 1/2 or M8 ~ M12
Length:3"~ 12" or 75mm-300mm



Dowel Screw
Diameter: 1/4~5/16 or M6~M8
Length: 2"~ 5" or 50mm-125mm



Screw Drive
Diameter: 1/4"
Length: 1"~4"or 25mm-100mm



Certification

LRQA

Current issue date: 7 December 2024
Expiry date: 6 December 2027
Certificate identity number: 10648498

Original approval(s):
ISO 9001 - 7 December 2018

Certificate of Approval

This is to certify that the Management System of:

Zhishan Xing Enterprise Co., Ltd.

No. 601, Ln. 220, Sec. 3, Guangming Rd., Daliao Dist., Kaohsiung City 831130, Taiwan

has been approved by LRQA to the following standards:

ISO 9001:2015

Approval number(s): ISO 9001 – 00017785

The scope of this approval is applicable to:

Manufacture and sales of fasteners.

Davis Guan

Regional Director

Issued by: LRQA Limited

IAF

UKAS MANAGEMENT SYSTEMS 0001

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.
Issued by: LRQA Limited, 1 Trinity Park, Bickenhill Lane, Birmingham B37 7ES, United Kingdom




















ZHISHAN XING ENTERPRISE CO.LTD

No.601, Ln. 220, Sec. 3, Guangming Rd., Daliao Dist., Kaohsiung City 831130, Taiwan (R.O.C.)
Tel:886-7-6520407 Fax:886-7-6523843
E-maill:zhishan.xing@msa.hinet.net
http:zhishanxing.en.taiwantrade.com